

Table of Contents

| | |
|---|--------------|
| Dedications | v |
| Preface | vii |
| Motivation for this Book | vii |
| Should You Read This Book? | viii |
| Structure of the Book | viii |
| Element and Attribute Tables | ix |
| Quick Tips | xi |
| On-Line Information | xi |
| About the Authors | xii |
| Table of Contents | xiii |
| Common Acronyms and Terms | xxv |
| Acknowledgements | xxvii |
| | |
| Part One Introduction | 1 |
| 1 An Overview of SMIL | 3 |
| 1.1 New Features in SMIL 3.0 | 3 |
| 1.2 Using SMIL: Six Examples | 4 |
| 1.2.1 Hi Mom! | 4 |
| 1.2.2 Flags | 5 |
| 1.2.3 Welcome to New York | 6 |
| 1.2.4 Happy Birthday! | 7 |
| 1.2.5 The Evening News | 7 |
| 1.2.6 No-Budget Bicycle Tour | 8 |
| 1.3 SMIL's Design Goals | 10 |
| 1.4 The Various Versions of SMIL | 11 |
| 1.4.1 SMIL 1.0 | 11 |
| 1.4.2 SMIL 2.0 | 11 |
| 1.4.3 SMIL 2.1 | 11 |
| 1.4.4 SMIL 3.0 | 12 |
| 1.5 SMIL Modules and Profiles | 12 |
| 1.5.1 SMIL Profile and User-Agent Conformance | 15 |
| 1.5.2 Six SMIL User Agents | 18 |
| 1.6 Creating SMIL Presentations | 20 |
| 1.6.1 Notepad (and Other Text Editors) | 20 |

| | | |
|----------|---|-----------|
| 1.6.2 | SMIL Syntax Validator | 21 |
| 1.6.3 | LimSee | 21 |
| 1.6.4 | GRiNS | 21 |
| 1.7 | SMIL and Other Specifications | 22 |
| 1.7.1 | CMIF | 22 |
| 1.7.2 | Flash | 22 |
| 1.7.3 | MPEG-4 | 22 |
| 1.8 | Summary and Conclusion | 23 |
| 1.9 | Further Resources | 23 |
| 2 | Understanding SMIL Code | 25 |
| 2.1 | Understanding XML Structure | 25 |
| 2.1.1 | XML Elements | 26 |
| 2.1.2 | XML Attributes | 27 |
| 2.1.3 | XML References | 28 |
| 2.2 | Flashlight: A SMIL Example Presentation | 30 |
| 2.2.1 | The Head and Body Sections | 34 |
| 2.2.2 | Media Content | 35 |
| 2.2.3 | Layout | 36 |
| 2.2.4 | Timing | 38 |
| 2.2.5 | Linking | 40 |
| 2.2.6 | Adaptivity | 41 |
| 2.2.7 | Putting it All Together | 42 |
| 2.3 | Encoding Flashlight in Different Profiles | 44 |
| 2.3.1 | SMIL 3.0 Extensions | 44 |
| 2.3.2 | SMIL 2.0/2.1 Language Profiles | 44 |
| 2.3.3 | SMIL Mobile Versions | 45 |
| 2.3.4 | XHTML+SMIL Profile | 49 |
| 2.4 | Summary and Conclusions | 55 |
| 2.5 | Further Resources | 55 |
| 3 | Local and Streaming Media | 57 |
| 3.1 | Classification of Media | 57 |
| 3.2 | Media Formats and Encodings | 58 |
| 3.2.1 | Media Formats for Compressed Discrete Media | 59 |
| 3.2.2 | Media Formats for Compressed Continuous Media | 61 |
| 3.2.3 | Tools for Creating Media | 63 |
| 3.3 | IRIs: Locating and Naming Media Objects | 64 |
| 3.3.1 | Local IRIs | 65 |
| 3.3.2 | Remote IRIs | 65 |
| 3.3.3 | Relative IRIs | 66 |
| 3.3.4 | Passing Parameters in IRIs | 67 |
| 3.4 | Accessing Media Within a SMIL Presentation | 67 |
| 3.4.1 | Local access to media | 67 |
| 3.4.2 | Remote Access to Media | 68 |
| 3.5 | Summary and Conclusion | 73 |
| 3.6 | Further Resources | 73 |

| | |
|--|------------|
| Part Two Basic SMIL Constructs | 75 |
| 4 SMIL Structure | 77 |
| 4.1 SMIL Language Structure Issues | 77 |
| 4.2 SMIL Structure Elements and Attributes | 78 |
| 4.2.1 SMIL Document Type Declarations | 78 |
| 4.2.2 SMIL Top-Level Structure Containers | 79 |
| 4.2.3 Core Structure Attributes | 83 |
| 4.2.4 Core Attributes for Accessibility | 84 |
| 4.2.5 I18N Attributes | 84 |
| 4.2.6 Namespace Attributes | 85 |
| 4.3 Summary and Conclusion | 86 |
| 4.4 Further Resources | 87 |
| 5 Referencing External Media Objects | 89 |
| 5.1 Partitioning Content and Control | 89 |
| 5.2 SMIL Media Object Elements and Attributes | 92 |
| 5.2.1 Media Elements | 92 |
| 5.2.2 Media Object Attributes | 94 |
| 5.3 Passing Parameters to Media Objects | 99 |
| 5.3.1 Understanding the Use of Media Parameters | 99 |
| 5.3.2 Elements for Media Initialization | 99 |
| 5.3.3 Attributes for Media Parameters | 100 |
| 5.3.4 Examples Using Media Parameters | 101 |
| 5.4 Temporally Subsetting Media Objects | 102 |
| 5.4.1 Attributes for Subsetting Media Objects | 102 |
| 5.4.2 Using Media Clipping Attributes | 103 |
| 5.5 Timing Consequences of Media Object Use | 104 |
| 5.6 Summary and Conclusion | 104 |
| 5.7 Further Resources | 104 |
| 6 Meta-Information, Media Description and XML Accessibility 105 | |
| 6.1 Meta-Information | 105 |
| 6.1.1 Elements for Meta-Information | 106 |
| 6.1.2 Attributes for Meta-Information | 107 |
| 6.1.3 Examples Using Meta-Information | 108 |
| 6.2 Media Description | 110 |
| 6.2.1 Media Description Attributes | 111 |
| 6.2.2 Example Using Media Object Descriptions | 112 |
| 6.3 XML Accessibility | 113 |
| 6.3.1 Media Accessibility Attributes | 113 |
| 6.3.2 Using Media Accessibility Attributes | 114 |
| 6.4 Summary and Conclusion | 114 |
| 6.5 Further Resources | 115 |
| 7 Basic SMIL Timing | 117 |
| 7.1 SMIL Timing Model Basics | 118 |
| 7.1.1 A Simple Slideshow Presentation | 118 |

| | | |
|----------|--|------------|
| 7.1.2 | Media Object and Presentation Timing Definitions | 119 |
| 7.1.3 | Durations, Time and Timebases | 123 |
| 7.1.4 | Special Timing Values | 127 |
| 7.1.5 | Interactive Timing and Events | 128 |
| 7.2 | Basic SMIL Timing Elements | 129 |
| 7.2.1 | Basic Time Containers | 129 |
| 7.2.2 | Nested Composition of Timing Elements | 131 |
| 7.3 | Basic SMIL Timing Attributes | 131 |
| 7.3.1 | General Timing Control Attributes | 133 |
| 7.3.2 | Object Persistence Attributes | 139 |
| 7.3.3 | Extended Timing Control Attributes | 141 |
| 7.3.4 | Repeating Objects and Sub-Structures | 143 |
| 7.3.5 | Advanced Timing and Synchronization Attributes | 145 |
| 7.3.6 | The General Timing Attributes | 146 |
| 7.4 | Summary and Conclusion | 146 |
| 7.5 | Further Resources | 147 |
| 8 | SMIL Basic Layout | 149 |
| 8.1 | An Overview of Layout Concepts | 149 |
| 8.2 | SMIL Layout Models | 152 |
| 8.2.1 | SMIL 1.0's Approach to Layout | 152 |
| 8.2.2 | SMIL's Revised Approach to Layout | 153 |
| 8.2.3 | SMIL 2.1 and SMIL 3.0 Layout Extensions | 154 |
| 8.2.4 | Summary of SMIL Layout Concepts | 155 |
| 8.3 | SMIL Basic Layout Elements and Attributes | 155 |
| 8.3.1 | SMIL Basic Layout Elements | 157 |
| 8.3.2 | Basic Layout Attributes Architecture | 159 |
| 8.3.3 | <layout> Attributes | 160 |
| 8.3.4 | <root-layout> Attributes | 160 |
| 8.3.5 | <region> Referencing Attributes | 161 |
| 8.3.6 | <region> Positioning Attributes | 162 |
| 8.3.7 | Background Attributes | 163 |
| 8.3.8 | Stacking and Scaling Attributes | 165 |
| 8.3.9 | Referencing Regions from Media Objects | 168 |
| 8.3.10 | SMIL Empty Layout Semantics | 168 |
| 8.4 | SMIL Audio Layout Elements and Attributes | 169 |
| 8.4.1 | Elements for Audio Layout | 169 |
| 8.4.2 | Attributes for Audio Layout | 169 |
| 8.5 | Examples Using SMIL Basic Layout | 170 |
| 8.5.1 | Defining the <layout> Section | 170 |
| 8.5.2 | Supporting Multiple Layouts in One Presentation | 172 |
| 8.5.3 | Referencing Media in the Presentation | 172 |
| 8.5.4 | Adjusting Rendering Properties | 172 |
| 8.5.5 | Rendering Multiple Copies of a Single Media Object | 174 |
| 8.6 | Summary and Conclusion | 174 |
| 8.7 | Further Resources | 175 |

| | | |
|-----------|--|------------|
| 9 | Timed Text in SMIL | 177 |
| 9.1 | Text Content in a SMIL Presentation | 177 |
| 9.1.1 | Applications for smilText | 178 |
| 9.1.2 | Existing Support for Text in SMIL | 179 |
| 9.2 | smilText Elements and Attributes | 182 |
| 9.2.1 | smilText Elements | 183 |
| 9.2.2 | smilText Attributes | 184 |
| 9.3 | Rendering Control Elements and Attributes | 184 |
| 9.3.1 | Text Rendering Control Elements | 185 |
| 9.3.2 | Text Rendering Control Attributes | 186 |
| 9.4 | Segmentation and Styling Elements and Attributes | 187 |
| 9.4.1 | Text Segmentation Elements | 187 |
| 9.4.2 | Text Styling Attributes | 188 |
| 9.5 | Text Motion Elements and Attributes | 191 |
| 9.5.1 | smilText Motion Elements | 191 |
| 9.5.2 | smilText Motion Attributes | 191 |
| 9.6 | Examples of smilText Use | 193 |
| 9.6.1 | Basic smilText | 193 |
| 9.6.2 | Adding Explicit Timing Within Text | 195 |
| 9.6.3 | Adding Event-Based Text Timing | 196 |
| 9.6.4 | Adding Text Motion | 197 |
| 9.6.5 | Reusing Styles | 198 |
| 9.7 | Using smilText as an External Format | 198 |
| 9.8 | Summary and Conclusion | 199 |
| 9.9 | Further Resources | 199 |
| 10 | Basic Linking | 201 |
| 10.1 | An Overview of Linking Concepts | 201 |
| 10.1.1 | Links in HTML | 202 |
| 10.1.2 | SMIL: Adding Time to Links | 205 |
| 10.2 | SMIL Basic Linking Elements | 206 |
| 10.2.1 | SMIL Basic Linking Attributes Architecture | 210 |
| 10.2.2 | Specifying the Activation Period of Source Anchors | 210 |
| 10.2.3 | The Temporal Moment of the Destination Anchor | 211 |
| 10.2.4 | Attributes for Link Anchor Geometries | 212 |
| 10.2.5 | Attributes to Control the Playstate after Activation | 214 |
| 10.2.6 | Other Linking Control Attributes | 215 |
| 10.3 | Other Uses of Links in SMIL | 217 |
| 10.3.1 | SMIL Linking and Activation Control | 217 |
| 10.3.2 | SMIL Linking and Message Passing | 219 |
| 10.4 | Summary and Conclusion | 219 |
| 10.5 | Further Resources | 220 |
| 11 | Content Selection and Control | 221 |
| 11.1 | Content Selection: Rationale and Scope | 221 |
| 11.1.1 | Understanding the Runtime Environment | 221 |
| 11.1.2 | Techniques for Creating Adaptive Presentations | 224 |

| | | |
|--|--|------------|
| 11.2 | Content Control Elements and Attributes | 226 |
| 11.2.1 | SMIL Basic Content Control Elements | 226 |
| 11.2.2 | SMIL Basic Content Control Attributes Architecture | 228 |
| 11.2.3 | In-Line Use of System Test Attributes | 229 |
| 11.2.4 | User-Related System Test Attributes | 230 |
| 11.2.5 | Environment-Related System Test Attributes | 233 |
| 11.2.6 | Resource-Related System Test Attributes | 235 |
| 11.2.7 | Static vs. Dynamic Test Attribute Evaluation | 238 |
| 11.3 | Examples Using SMIL Content Control | 238 |
| 11.3.1 | Media and Presentation Design | 238 |
| 11.3.2 | The Structure of the Presentation | 239 |
| 11.3.3 | Using SMIL to Define the Adaptive Presentation | 241 |
| 11.4 | Summary and Conclusion | 244 |
| 11.5 | Further Resources | 244 |
| Part Three Advanced SMIL Features | | 245 |
| 12 | Transition Effects | 247 |
| 12.1 | Concepts and Models of Transition Effects | 247 |
| 12.1.1 | Basic Transition Effects Concepts | 247 |
| 12.1.2 | Transition Models | 249 |
| 12.1.3 | Basic and Inline Transitions | 253 |
| 12.2 | Basic Transitions Elements and Attributes | 253 |
| 12.2.1 | Basic Transition Elements | 253 |
| 12.2.2 | General Attributes for Basic Transitions | 253 |
| 12.2.3 | Type-Specific Attributes for Basic Transitions | 256 |
| 12.2.4 | Attributes for Integrating Basic Transitions | 257 |
| 12.3 | Inline Transitions Elements and Attributes | 259 |
| 12.3.1 | Inline Transition Elements | 259 |
| 12.3.2 | General Attributes for Inline Transitions | 260 |
| 12.3.3 | Timing Attributes for Inline Transitions | 261 |
| 12.3.4 | Animation Attributes for Inline Transitions | 262 |
| 12.3.5 | Type-Specific Attributes for Inline Transitions | 263 |
| 12.3.6 | Attributes for Integrating Inline Transitions | 264 |
| 12.4 | Modifying Basic and Inline Transitions | 264 |
| 12.4.1 | Common Attributes for Modifying Transitions | 264 |
| 12.5 | Examples Using SMIL Transition Effects | 265 |
| 12.5.1 | Examples of Basic Transitions | 265 |
| 12.5.2 | Examples of Inline Transitions | 268 |
| 12.6 | Issues for Supporting Transition Effects | 270 |
| 12.6.1 | SMIL Timing and Transitions | 270 |
| 12.6.2 | The <par> Element and Transitions | 272 |
| 12.6.3 | The <seq> Element and Transitions | 272 |
| 12.6.4 | The <exc1> Element and Transitions | 273 |
| 12.7 | Transition Classes, Types and Sub-Types | 273 |
| 12.7.1 | Required Types/Sub-Types | 274 |
| 12.7.2 | SMIL-Specific Transition Types and Sub-Types | 274 |

| | | |
|-----------|--|------------|
| 12.7.3 | Edge Wipe Transition Types and Sub-Types | 275 |
| 12.7.4 | Iris Wipe Transition Types and Sub-Types | 276 |
| 12.7.5 | Clock Wipe Transition Types and Sub-Types | 276 |
| 12.7.6 | Matrix Wipe Transition Types and Sub-Types | 277 |
| 12.8 | Summary and Conclusion | 278 |
| 12.9 | Further Resources | 278 |
| 13 | SMIL Animation | 279 |
| 13.1 | Overview of SMIL Animation | 280 |
| 13.1.1 | The SMIL Animation Model | 280 |
| 13.1.2 | SMIL Animation and the <animation> Element | 285 |
| 13.2 | Basic Animation Elements and Attributes | 285 |
| 13.2.1 | Basic Animation Elements | 285 |
| 13.2.2 | Basic Animation Attributes | 287 |
| 13.2.3 | Attributes for Specifying the Animation Target | 287 |
| 13.2.4 | Attributes for Providing Animation Values | 289 |
| 13.2.5 | Attributes for Defining the Animation Function | 291 |
| 13.3 | Support for SMIL Spline Animation | 293 |
| 13.3.1 | Spline Animation Elements | 293 |
| 13.3.2 | Spline Animation Attributes | 293 |
| 13.3.3 | Attributes for Spline Specification | 293 |
| 13.4 | Examples of SMIL Attribute Animation | 294 |
| 13.5 | Animation Support in SMIL Profiles and SVG | 299 |
| 13.5.1 | Animation and the SMIL Language Profile | 300 |
| 13.5.2 | Animation and the XHTML+SMIL Profile | 300 |
| 13.5.3 | Animation and SVG | 301 |
| 13.6 | Summary and Conclusion | 302 |
| 13.7 | Further Resources | 302 |
| 14 | Subsetting and Extending Media | 303 |
| 14.1 | Managing Media Opacity and Transparency | 303 |
| 14.1.1 | Media Opacity, Chroma Keys and Transparency | 304 |
| 14.1.2 | Attributes for Media Opacity Control | 306 |
| 14.1.3 | An Example of Media Opacity Processing | 307 |
| 14.2 | Cropping Source Media Spatially | 307 |
| 14.2.1 | Source Media Cropping and Pan/Zoom Support | 308 |
| 14.2.2 | Attributes for Media Pan/Zoom | 310 |
| 14.3 | Defining Active Areas for Links | 311 |
| 14.3.1 | Understanding Spatial Cropping for Linking | 312 |
| 14.3.2 | Elements for Link Area Cropping | 314 |
| 14.3.3 | Attributes for Link Area Cropping | 314 |
| 14.4 | Clipping Media in Time | 315 |
| 14.4.1 | Understanding Temporal Clipping of Media | 315 |
| 14.4.2 | Attributes for Temporal Clipping | 316 |
| 14.4.3 | Examples of Temporal Clipping | 318 |
| 14.5 | Clipping Media Using Media Markers | 318 |
| 14.5.1 | Understanding Media Clip Markers | 319 |
| 14.5.2 | Attribute Extensions for Media Markers | 320 |
| 14.5.3 | Examples Using Media Markers | 321 |

| | | |
|-----------|--|------------|
| 14.6 | Subsetting Media Via Fragment Identifiers | 321 |
| 14.6.1 | Understanding Fragment Identifiers | 321 |
| 14.6.2 | Language Support for Fragment Identifiers | 322 |
| 14.6.3 | Examples Using Fragment Identifiers | 322 |
| 14.7 | Media Rendering Customization | 323 |
| 14.7.1 | Attributes for Player Media Initialization | 324 |
| 14.7.2 | Examples of Media Initialization | 325 |
| 14.8 | Summary and Conclusion | 326 |
| 14.9 | Further Resources | 327 |
| 15 | Advanced SMIL Timing Behavior and Control | 329 |
| 15.1 | Event Based Timing | 330 |
| 15.1.1 | Understanding Events, Links and Interaction | 330 |
| 15.1.2 | Event Support in SMIL Profiles | 336 |
| 15.1.3 | Examples of Event Syntax and Semantics | 338 |
| 15.2 | Selective Time Composition | 341 |
| 15.2.1 | Understanding Selective Composition | 341 |
| 15.2.2 | Elements for Selective Composition | 344 |
| 15.2.3 | Attributes for Selective Composition | 347 |
| 15.2.4 | Examples of Selective Temporal Composition | 349 |
| 15.3 | SMIL Timing Model, Revisited | 354 |
| 15.3.1 | Element Activation, Duration and Termination | 354 |
| 15.3.2 | Determining Schedules | 357 |
| 15.3.3 | Pathological Examples | 360 |
| 15.4 | DOM Events and SMIL | 362 |
| 15.4.1 | Raising SMIL DOM Events | 363 |
| 15.4.2 | SMIL DOM Methods | 364 |
| 15.5 | Summary and Conclusion | 365 |
| 15.6 | Further Resources | 366 |
| 16 | Advanced SMIL Timing Attributes | 367 |
| 16.1 | Fill Behavior Control | 368 |
| 16.1.1 | Understanding the Fill Behavior | 368 |
| 16.1.2 | Fill Behavior Attributes | 373 |
| 16.1.3 | Examples of Fill Behavior | 374 |
| 16.2 | Restart Behavior | 381 |
| 16.2.1 | Understanding Restart Behavior | 381 |
| 16.2.2 | Restart Behavior Attributes | 383 |
| 16.2.3 | Examples of Restart Behavior | 384 |
| 16.3 | Synchronization Behavior Control | 387 |
| 16.3.1 | Understanding Synchronization Behavior Control | 387 |
| 16.3.2 | Synchronization Behavior Attributes | 390 |
| 16.3.3 | Examples of Synchronization Behavior Control | 393 |
| 16.4 | Time Manipulation | 394 |
| 16.4.1 | Understanding Time Manipulations | 395 |
| 16.4.2 | Time Manipulation Attributes | 396 |
| 16.4.3 | Examples of Time Manipulation | 398 |
| 16.5 | Summary and Conclusion | 399 |

| | | |
|-----------|--|------------|
| 17 | Advanced Layout Topics | 401 |
| 17.1 | Logical Media Object Alignment in Regions | 402 |
| 17.1.1 | Understanding Registration and Alignment Points | 402 |
| 17.1.2 | Elements for Layout Alignment | 404 |
| 17.1.3 | Attributes for Layout Alignment | 405 |
| 17.1.4 | Other Aspects of Registration Point Alignment | 406 |
| 17.1.5 | Examples of Registration Point Alignment | 407 |
| 17.1.6 | A Short-Cut Attribute for Registration Alignment | 409 |
| 17.1.7 | Audio Positioning Attributes | 409 |
| 17.2 | Sub-Region Positioning | 410 |
| 17.2.1 | Understanding Sub-Region Positioning | 410 |
| 17.2.2 | Sub-Region Positioning Elements | 411 |
| 17.2.3 | Sub-Region Positioning Attributes | 411 |
| 17.2.4 | Examples of Sub-Region Positioning | 412 |
| 17.3 | HierarchicalLayout | 414 |
| 17.3.1 | Understanding Hierarchical Layout | 414 |
| 17.3.2 | Hierarchical Layout Elements | 415 |
| 17.3.3 | Hierarchical Layout Attributes | 415 |
| 17.3.4 | Examples of Hierarchical Layout | 416 |
| 17.4 | Media Object Overrides of Layout Positioning | 417 |
| 17.5 | Defining Multiple Top-Level Windows | 417 |
| 17.5.1 | Understanding Multiple Top-Level Windows | 417 |
| 17.5.2 | Multi-Window Elements | 419 |
| 17.5.3 | Multi-Window Attributes | 420 |
| 17.5.4 | Aspects of Multi-Window Layout | 421 |
| 17.5.5 | Examples of Multi-Window Layout | 422 |
| 17.6 | SMIL Layout and CSS | 423 |
| 17.6.1 | CSS Attributes for SMIL Layout | 423 |
| 17.6.2 | CSS and SMIL Layout Comparison | 424 |
| 17.7 | Summary and Conclusion | 426 |
| 17.8 | Further Resources | 426 |
| 18 | Extended Content Control | 427 |
| 18.1 | Influencing the Evaluation Order of <switch> | 427 |
| 18.1.1 | Content Reordering in a <switch> Element | 428 |
| 18.1.2 | Attributes to Control Ordering in a <switch> | 428 |
| 18.1.3 | Examples of Reordering <switch> Children | 429 |
| 18.2 | Accommodating SMIL Language Extensions | 430 |
| 18.2.1 | Skip Content Control Attributes | 430 |
| 18.2.2 | Versioning System Test Attributes | 431 |
| 18.2.3 | Using Language Extension Attributes | 432 |
| 18.3 | Prefetch Control | 435 |
| 18.3.1 | Understanding Prefetching of Media | 435 |
| 18.3.2 | Prefetch Elements | 436 |
| 18.3.3 | Prefetch Attributes | 437 |
| 18.3.4 | Using Prefetch Control | 437 |

| | | |
|-----------|---|------------|
| 18.4 | Custom Test Attributes | 438 |
| 18.4.1 | Understanding Custom Test Attributes | 439 |
| 18.4.2 | Custom Test Elements | 439 |
| 18.4.3 | Custom Test Attributes | 440 |
| 18.4.4 | Examples Using Custom Test Attributes | 441 |
| 18.5 | Summary and Conclusion | 443 |
| 18.6 | Further Resources | 443 |
| 19 | SMIL State | 445 |
| 19.1 | Overview of SMIL State | 446 |
| 19.1.1 | An Example of Shared Presentation State | 447 |
| 19.1.2 | Additional Uses of State | 450 |
| 19.2 | Data Model Elements and Attributes | 451 |
| 19.2.1 | Elements for Defining the Data Model | 451 |
| 19.2.2 | Attributes for Manipulating the Data Model | 453 |
| 19.3 | State Evaluation Elements and Attributes | 454 |
| 19.3.1 | Elements for Evaluating State | 454 |
| 19.3.2 | Attributes for Evaluating State | 454 |
| 19.4 | Supporting State Interpolation and Events | 456 |
| 19.4.1 | Managing State Interpolation | 456 |
| 19.4.2 | Data Model Events | 457 |
| 19.5 | State Persistence Elements and Attributes | 458 |
| 19.5.1 | Elements for Saving/Restoring State | 458 |
| 19.5.2 | Attributes for Saving/Restoring State | 459 |
| 19.6 | Examples of Using SMIL State | 460 |
| 19.6.1 | Defining the Data Model | 461 |
| 19.6.2 | Assigning Values to Data Model Components | 463 |
| 19.6.3 | Content Control Using SMIL State | 463 |
| 19.6.4 | Restarting a Presentation with Variable State | 465 |
| 19.7 | Summary and Conclusion | 467 |
| 19.8 | Further Resources | 468 |
| 20 | Integrating SMIL Timing in Other XML Languages | 469 |
| 20.1 | Local Integration of SMIL Timing | 469 |
| 20.1.1 | Time Container Integration Issues | 469 |
| 20.1.2 | Time Container Integration Attributes | 470 |
| 20.1.3 | Examples of Time Container Integration | 472 |
| 20.2 | Timed Text Integration Using smilText | 476 |
| 20.3 | XML Integration Using SMIL Timesheets | 478 |
| 20.3.1 | Using SMIL as a Timesheet | 478 |
| 20.3.2 | Timesheet Elements | 479 |
| 20.3.3 | Timesheet Attributes | 481 |
| 20.3.4 | Examples of Using SMIL Timesheets | 481 |
| 20.4 | Summary and Conclusion | 485 |
| 20.5 | Further Resources | 485 |

Part Four SMIL Family Reference 487
A SMIL Profile Architecture Reference 489
B SMIL Implementation Reference 493
B.1 SMIL Language Profile Player/Browser Implementations 493
B.2 SMIL Mobile Profile Player/Browser Implementations 494
B.3 SMIL Mobile Profile Player/Browser Implementations 495
B.4 SMIL Tiny Player/Browser Implementations 495
B.5 SMIL Implementation Support Comparison 495
Index 503



<http://www.springer.com/978-3-540-78546-0>

SMIL 3.0

Flexible Multimedia for Web, Mobile Devices and Daisy
Talking Books

Bulterman, D.C.A.; Rutledge, L.W.

2009, Approx. 535 p., Hardcover

ISBN: 978-3-540-78546-0